narcolepsy

Narcolepsy is a chronic sleep disorder that disrupts the normal sleep-wake cycle. Although this condition can appear at any age, it most often begins in adolescence.

Narcolepsy is characterized by excessive daytime sleepiness. Affected individuals feel tired during the day, and several times a day they may experience an overwhelming urge to sleep. "Sleep attacks" can occur at unusual times, such as during a meal or in the middle of a conversation. They last from a few seconds to a few minutes and often lead to a longer nap, after which affected individuals wake up feeling refreshed.

Another common feature of narcolepsy is cataplexy, which is a sudden loss of muscle tone in response to strong emotion (such as laughing, surprise, or anger). These episodes of muscle weakness can cause an affected person to slump over or fall, which occasionally leads to injury. Episodes of cataplexy usually last just a few seconds, and they may occur from several times a day to a few times a year. Most people diagnosed with narcolepsy also have cataplexy. However, some do not, which has led researchers to distinguish two major forms of the condition: narcolepsy with cataplexy and narcolepsy without cataplexy.

Narcolepsy also affects nighttime sleep. Most affected individuals have trouble sleeping for more than a few hours at night. They often experience vivid hallucinations while falling asleep (hypnogogic hallucinations) or while waking up (hypnopompic hallucinations). Affected individuals often have realistic and distressing dreams, and they may act out their dreams by moving excessively or talking in their sleep. Many people with narcolepsy also experience sleep paralysis, which is an inability to move or speak for a short period while falling asleep or awakening. The combination of hallucinations, vivid dreams, and sleep paralysis is often frightening and unpleasant for affected individuals.

Some people with narcolepsy have all of the major features of the disorder, while others have only one or two. Most of the signs and symptoms persist throughout life, although episodes of cataplexy may become less frequent with age and treatment.

Frequency

Narcolepsy affects about 1 in 2,000 people in the United States and Western Europe. However, the disorder is likely underdiagnosed, particularly in people with mild symptoms. Worldwide, narcolepsy appears to be most common in Japan, where it affects an estimated 1 in 600 people.

Genetic Changes

Narcolepsy probably results from a combination of genetic and environmental factors, some of which have been identified, but many of which remain unknown.

In most cases of narcolepsy with cataplexy, and in some cases without cataplexy, sleep abnormalities result from a loss of particular brain cells (neurons) in a part of the brain called the hypothalamus. These cells normally produce chemicals called hypocretins (also known as orexins), which have many important functions in the body. In particular, hypocretins regulate the daily sleep-wake cycle. It is unclear what triggers the death of hypocretin-producing neurons in people with narcolepsy, although evidence increasingly points to an abnormality of the immune system.

Researchers have identified changes in several genes that influence the risk of developing narcolepsy. The most well-studied of these genes is *HLA-DQB1*, which provides instructions for making part of a protein that plays an important role in the immune system. The *HLA-DQB1* gene is part of a family of genes called the human leukocyte antigen (HLA) complex. The HLA complex helps the immune system distinguish the body's own proteins from proteins made by foreign invaders (such as viruses and bacteria). The *HLA-DQB1* gene has many different normal variations, allowing each person's immune system to react to a wide range of foreign proteins. A variation of the *HLA-DQB1* gene called *HLA-DQB1*06:02* has been strongly associated with narcolepsy, particularly in people who also have cataplexy and a loss of hypocretins. Most people with narcolepsy have the *HLA-DQB1*06:02* variation, and many also have specific versions of other, closely related HLA genes. It is unclear how these genetic changes influence the risk of developing the condition.

Variations in several additional genes have also been associated with narcolepsy. Many of these genes are thought to play roles in immune system function. However, variations in these genes probably make only a small contribution to the overall risk of developing narcolepsy. Other genetic and environmental factors are also likely to influence a person's chances of developing this disorder. For example, studies suggest that bacterial or viral infections such as strep throat (streptococcus), colds, and influenza may be involved in triggering narcolepsy in people who are at risk.

Inheritance Pattern

Most cases of narcolepsy are sporadic, which means they occur in people with no history of the disorder in their family. A small percentage of all cases have been reported to run in families; however, the condition does not have a clear pattern of inheritance. First-degree relatives (parents, siblings, and children) of people with narcolepsy with cataplexy have a 40 times greater risk of developing the condition compared with people in the general population.

Other Names for This Condition

- Gelineau syndrome
- narcoleptic syndrome

Diagnosis & Management

Genetic Testing

- Genetic Testing Registry: Narcolepsy 1 https://www.ncbi.nlm.nih.gov/qtr/conditions/C1834372/
- Genetic Testing Registry: Narcolepsy 2, susceptibility to https://www.ncbi.nlm.nih.gov/gtr/conditions/C1853901/
- Genetic Testing Registry: Narcolepsy 3 https://www.ncbi.nlm.nih.gov/gtr/conditions/C1836907/
- Genetic Testing Registry: Narcolepsy 4, susceptibility to https://www.ncbi.nlm.nih.gov/qtr/conditions/C2676275/
- Genetic Testing Registry: Narcolepsy 5, susceptibility to https://www.ncbi.nlm.nih.gov/gtr/conditions/C2748508/

Other Diagnosis and Management Resources

 Narcolepsy Network: Treatment http://narcolepsynetwork.org/about-narcolepsy/treatment/

General Information from MedlinePlus

- Diagnostic Tests https://medlineplus.gov/diagnostictests.html
- Drug Therapy https://medlineplus.gov/drugtherapy.html
- Genetic Counseling https://medlineplus.gov/geneticcounseling.html
- Palliative Care https://medlineplus.gov/palliativecare.html
- Surgery and Rehabilitation https://medlineplus.gov/surgeryandrehabilitation.html

Additional Information & Resources

MedlinePlus

 Encyclopedia: Narcolepsy https://medlineplus.gov/ency/article/000802.htm

 Health Topic: Sleep Disorders https://medlineplus.gov/sleepdisorders.html

Genetic and Rare Diseases Information Center

 Narcolepsy https://rarediseases.info.nih.gov/diseases/7162/narcolepsy

Additional NIH Resources

- National Heart, Lung, and Blood Institute https://www.nhlbi.nih.gov/health/health-topics/topics/nar/
- National Institute of Neurological Disorders and Stroke https://www.ninds.nih.gov/Disorders/All-Disorders/Narcolepsy-Information-Page

Educational Resources

- Cleveland Clinic http://my.clevelandclinic.org/health/articles/narcolepsy
- Disease InfoSearch: Narcolepsy http://www.diseaseinfosearch.org/Narcolepsy/5103
- MalaCards: narcolepsy http://www.malacards.org/card/narcolepsy
- Merck Manual Home Edition for Patients and Caregivers
 http://www.merckmanuals.com/home/brain-spinal-cord-and-nerve-disorders/sleep-disorders/narcolepsy
- Orphanet: Narcolepsy-cataplexy syndrome http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=2073
- Orphanet: Narcolepsy without cataplexy http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=83465
- Sleep Education from the American Academy of Sleep Medicine http://www.sleepeducation.org/essentials-in-sleep/narcolepsy
- Stanford Center for Narcolepsy http://med.stanford.edu/narcolepsy/symptoms.html

Patient Support and Advocacy Resources

- American Sleep Association
 https://www.sleepassociation.org/patients-general-public/narcolepsycataplexy/
- Narcolepsy Network http://narcolepsynetwork.org/
- National Organization for Rare Disorders (NORD) https://rarediseases.org/rare-diseases/narcolepsy/
- RareConnect https://www.rareconnect.org/en/community/narcolepsy

ClinicalTrials.gov

 ClinicalTrials.gov https://clinicaltrials.gov/ct2/results?cond=%22narcolepsy%22

Scientific Articles on PubMed

 PubMed https://www.ncbi.nlm.nih.gov/pubmed?term=%28Narcolepsy%5BMAJR%5D %29+AND+%28narcolepsy%5BTI%5D%29+AND+english%5Bla%5D+AND +human%5Bmh%5D+AND+%22last+1080+days%22%5Bdp%5D

OMIM

- NARCOLEPSY 1 http://omim.org/entry/161400
- NARCOLEPSY 2, SUSCEPTIBILITY TO http://omim.org/entry/605841
- NARCOLEPSY 3 http://omim.org/entry/609039
- NARCOLEPSY 4, SUSCEPTIBILITY TO http://omim.org/entry/612417
- NARCOLEPSY 5, SUSCEPTIBILITY TO http://omim.org/entry/612851

Sources for This Summary

- Cvetkovic-Lopes V, Bayer L, Dorsaz S, Maret S, Pradervand S, Dauvilliers Y, Lecendreux M, Lammers GJ, Donjacour CE, Du Pasquier RA, Pfister C, Petit B, Hor H, Mühlethaler M, Tafti M. Elevated Tribbles homolog 2-specific antibody levels in narcolepsy patients. J Clin Invest. 2010 Mar; 120(3):713-9. doi: 10.1172/JCI41366. Epub 2010 Feb 15.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/20160349
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2827962/
- Dauvilliers Y, Arnulf I, Mignot E. Narcolepsy with cataplexy. Lancet. 2007 Feb 10;369(9560): 499-511. Review.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/17292770
- Dauvilliers Y, Montplaisir J, Cochen V, Desautels A, Einen M, Lin L, Kawashima M, Bayard S, Monaca C, Tiberge M, Filipini D, Tripathy A, Nguyen BH, Kotagal S, Mignot E. Post-H1N1 narcolepsy-cataplexy. Sleep. 2010 Nov;33(11):1428-30.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/21102981
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2954689/
- Hallmayer J, Faraco J, Lin L, Hesselson S, Winkelmann J, Kawashima M, Mayer G, Plazzi G, Nevsimalova S, Bourgin P, Hong SC, Honda Y, Honda M, Högl B, Longstreth WT Jr, Montplaisir J, Kemlink D, Einen M, Chen J, Musone SL, Akana M, Miyagawa T, Duan J, Desautels A, Erhardt C, Hesla PE, Poli F, Frauscher B, Jeong JH, Lee SP, Ton TG, Kvale M, Kolesar L, Dobrovolná M, Nepom GT, Salomon D, Wichmann HE, Rouleau GA, Gieger C, Levinson DF, Gejman PV, Meitinger T, Young T, Peppard P, Tokunaga K, Kwok PY, Risch N, Mignot E. Narcolepsy is strongly associated with the T-cell receptor alpha locus. Nat Genet. 2009 Jun;41(6):708-11. doi: 10.1038/ng.372. Epub 2009 May 3. Erratum in: Nat Genet. 2009 Jul;41(7):859. Hong, Sheng Seung-Chul [corrected to Hong, Seung-Chul]. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/19412176
 - Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/19412176

 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2803042/
- Hohjoh H, Terada N, Kawashima M, Honda Y, Tokunaga K. Significant association of the tumor necrosis factor receptor 2 (TNFR2) gene with human narcolepsy. Tissue Antigens. 2000 Nov;56(5): 446-8.
 - Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/11144293
- Hor H, Kutalik Z, Dauvilliers Y, Valsesia A, Lammers GJ, Donjacour CE, Iranzo A, Santamaria J, Peraita Adrados R, Vicario JL, Overeem S, Arnulf I, Theodorou I, Jennum P, Knudsen S, Bassetti C, Mathis J, Lecendreux M, Mayer G, Geisler P, Benetó A, Petit B, Pfister C, Bürki JV, Didelot G, Billiard M, Ercilla G, Verduijn W, Claas FH, Vollenweider P, Waeber G, Waterworth DM, Mooser V, Heinzer R, Beckmann JS, Bergmann S, Tafti M. Genome-wide association study identifies new HLA class II haplotypes strongly protective against narcolepsy. Nat Genet. 2010 Sep;42(9):786-9. doi: 10.1038/ng.647. Epub 2010 Aug 15. Erratum in: Nat Genet. 2011 Apr;43(4):388. Vollenwider, Peter [corrected to Vollenweider, Peter].
 - Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/20711174
- Mignot E, Lin L, Rogers W, Honda Y, Qiu X, Lin X, Okun M, Hohjoh H, Miki T, Hsu S, Leffell M, Grumet F, Fernandez-Vina M, Honda M, Risch N. Complex HLA-DR and -DQ interactions confer risk of narcolepsy-cataplexy in three ethnic groups. Am J Hum Genet. 2001 Mar;68(3):686-99. Epub 2001 Feb 13.
 - Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/11179016
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1274481/

- Miyagawa T, Kawashima M, Nishida N, Ohashi J, Kimura R, Fujimoto A, Shimada M, Morishita S, Shigeta T, Lin L, Hong SC, Faraco J, Shin YK, Jeong JH, Okazaki Y, Tsuji S, Honda M, Honda Y, Mignot E, Tokunaga K. Variant between CPT1B and CHKB associated with susceptibility to narcolepsy. Nat Genet. 2008 Nov;40(11):1324-8. doi: 10.1038/ng.231. Epub 2008 Sep 28. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/18820697
- Peyron C, Faraco J, Rogers W, Ripley B, Overeem S, Charnay Y, Nevsimalova S, Aldrich M, Reynolds D, Albin R, Li R, Hungs M, Pedrazzoli M, Padigaru M, Kucherlapati M, Fan J, Maki R, Lammers GJ, Bouras C, Kucherlapati R, Nishino S, Mignot E. A mutation in a case of early onset narcolepsy and a generalized absence of hypocretin peptides in human narcoleptic brains. Nat Med. 2000 Sep;6(9):991-7.

Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/10973318

Reprinted from Genetics Home Reference:

https://ghr.nlm.nih.gov/condition/narcolepsy

Reviewed: December 2010 Published: March 21, 2017

Lister Hill National Center for Biomedical Communications U.S. National Library of Medicine National Institutes of Health Department of Health & Human Services